

CENOVNIK SKELA ALUALTECO PRO 200 -2000

ALUALTECO PRO 200 radna platforma 2,00 x 0,80 m											
Radna visina skele	4,30 m	5,30 m	6,30 m	7,30 m	8,30 m	9,30 m	10,30 m	11,30 m	12,30 m	13,30 m	14,30 m
Cena	1368,00e	1461.50e	1635.00e	1996.50e	2170.00e	2263.50e	2607.00e	2968.50e	3142.00e	0	0
ALUALTECO PRO 200 radna platforma 2,50 x 0,80 m											
Radna visina skele	4,30 m	5,30 m	6,30 m	7,30 m	8,30 m	9,30 m	10,30 m	11,30 m	12,30 m	13,30 m	14,30 m
Cena	1435.00e	1528.50e	1717.00e	2115.50e	2304.00e	2397.50e	2646.00e	3154.50e	3343.00e	3436.50e	3625.00e
ALUALTECO PRO 200 radna platforma 3,00 x 0,80 m											
Radna visina skele	4,30 m	5,30 m	6,30 m	7,30 m	8,30 m	9,30 m	10,30 m	11,30 m	12,30 m	13,30 m	14,30 m
Cena	1515.00e	1608.50e	1822.00e	2260.50e	2474.00e	2567.50e	2951.00e	3389.50e	3603.00e	3696.50e	3910.00e
ALUALTECO PRO 2000 radna platforma 2,00 x 1,50 m											
Radna visina skele	4,30 m	5,30 m	6,30 m	7,30 m	8,30 m	9,30 m	10,30 m	11,30 m	12,30 m	13,30 m	14,30 m
Cena	1618.00e	1753.00e	1968.00e	2496.00e	2711.00e	2846.00e	3231.00e	3759.00e	3974.00e	0	0
ALUALTECO PRO 2000 radna platforma 2,50 x 1,50 m											
Radna visina skele	4,30 m	5,30 m	6,30 m	7,30 m	8,30 m	9,30 m	10,30 m	11,30 m	12,30 m	13,30 m	14,30 m
Cena	1725.00e	1860.00e	2090.00e	2695.00e	2925.00e	3060.00e	3350.00e	4065.00e	4295.00e	4430.00e	4660.00e
ALUALTECO PRO 2000 radna platforma 3,00 x 1,50 m											
Radna visina skele	4,30 m	5,30 m	6,30 m	7,30 m	8,30 m	9,30 m	10,30 m	11,30 m	12,30 m	13,30 m	14,30 m
Cena	1825.00e	1960.00e	2215.00e	2880.00e	3135.00e	3270.00e	3695.00e	4360.00e	4615.00e	4750.00e	5005.00e
Cene su bez PDV-a											

U CENU SU URACUNATI GUMIRANI TOCKOVI FI 150mm SA NAVOJNOM SIPKOM A OD 10,30m RADNE VISINE GUMIRANI TOCKOVI FI 200mm SA NAVOJNOM SIPKOM

CENOVNIK SKELA ALUALTECO PRO 500 -5000

ALUALTECO PRO 500 radna platforma 2,00 x 0,80 m											
Radna visina skele	4,40 m	5,40 m	6,40 m	7,40 m	8,40 m	9,40 m	10,40 m	11,40 m	12,40 m	13,40 m	14,40 m
Cena	1083.00e	1176.50e	1350.00e	1871.50e	2015.00e	2298.50e	2482.00e	2943.50e	3117.00e	3210.50e	3384.00e
ALUALTECO PRO 500 radna platforma 2,50 x 0,80 m											
Radna visina skele	4,40 m	5,40 m	6,40 m	7,40 m	8,40 m	9,40 m	10,40 m	11,40 m	12,40 m	13,40 m	14,40 m
Cena	1165.00e	1258.50e	1447.00e	2005.50e	2154.00e	2397.50e	2726.00e	3124.50e	3313.00e	3426.50e	3615.00e
ALUALTECO PRO 5000 radna platforma 2,00 x 1,50 m											
Radna visina skele	4,40 m	5,40 m	6,40 m	7,40 m	8,40 m	9,40 m	10,40 m	11,40 m	12,40 m	13,40 m	14,40 m
Cena	1373.00e	1508.00e	1723.00e	2411.00e	2626.00e	2921.00e	3246.00e	3774.00e	3989.00e	4124.00e	4339.00e
ALUALTECO PRO 5000 radna platforma 2,50 x 1,50 m											
Radna visina skele	4,40 m	5,40 m	6,40 m	7,40 m	8,40 m	9,40 m	10,40 m	11,40 m	12,40 m	13,40 m	14,40 m
Cena	1470.00e	1605.00e	1835.00e	2575.00e	2805.00e	3100.00e	3445.00e	4020.00e	4250.00e	4385.00e	4615.00e
Cene su bez PDV-a											

U CENU SU URACUNATI GUMIRANI TOCKOVI FI 150mm SA NAVOJNOM SIPKOM A OD 10,40m RADNE VISINE GUMIRANI TOCKOVI FI 200mm SA NAVOJNOM SIPKOM

SPECIFIKACIJE ALUALTECO PRO 200

[illegible]

SPECIFIKACIJE ALUALTECO PRO 2000

[illegible]

SPECIFIKACIJE ALUALTECO PRO 500

[illegible]

SPECIFIKACIJE ALUALTECO PRO 5000

Skela ALUALTECO PRO 5000 sirina 1,50m											
Radna Visina (m)	4,40 m	5,40 m	6,40 m	7,40 m	8,40 m	9,40 m	10,40 m	11,40 m	12,40 m	13,40 m	14,40 m
Visina stajanja (m)	2,40 m	3,40 m	4,40 m	5,40 m	6,40 m	7,40 m	8,40 m	9,40 m	10,40 m	11,40 m	12,40 m
Visina skele (m)	3,40 m	4,40 m	5,40 m	6,40 m	7,40 m	8,40 m	9,40 m	10,40 m	11,40 m	12,40 m	13,40 m
Naziv	Kom	Kom	Kom	Kom	Kom	Kom	Kom	Kom	Kom	Kom	Kom
Vertikalni ram 2 m	2	3	4	5	6	7	8	9	10	11	12
Vertikalni ram 1 m	2	2	2	2	2	2	2	2	2	2	2
Radna platforma sa prolazom	2	2	2	4	4	4	4	6	6	6	6
Dijagonala	2	2	4	4	6	6	8	8	10	10	12
Gelender	4	4	4	8	8	8	8	12	12	12	12
Postolje	1	1	1	1	1	1	1	1	1	1	1
Stabilizator	0	0	0	2	2	4	4	4	4	4	4
Rubne daske	1	1	1	1	1	1	1	1	1	1	1
Podešavajući set točkova fi 150mm sa gumom	4	4	4	4	4	4	4	4	4	4	4
Sigurnosne alkice	4	6	8	10	12	14	16	18	20	22	24

Elementi skele ALUALTECO PRO 200-500

-Vertikalni ram 2 metra (sirina 0,8 metara)	93,50 eura		
-Vertikalni ram 1 metra (sirina 0,8 metra)	49,00 eura		
		2 metra	2,5 metra 3 metra
-Zastitna ograda komplet (4 komada).....	143,00e	165,00e	185,00e
-Dijagonale komplet (2 komada).....	80,00 e	95,00 e	120,00e
-Platforma sa otvorom	125,00e....	140,00e	160,00e
-Spojnik osnove serija 200 komplet	85,00e	100,00e	115,00e
-Postolje serija 500 komplet	120,00e.....	140,00e	
-Ceona I rubna daska komplet	120,00e	130,00e	140,00e
-Tockovi sa navojnom sipkom.....	fi 125mm.. 130,00e..	fi 150mm...210,00e ...	fi 200mm ...320,00e
-stabilizatori	80,00 e		
-Nosac balast tregova serija 200 (4 kom.).....	60,00e		

-

-

Elementi skele ALUALTECO PRO 2000-5000

-Vertikalni ram 2 metra (sirina 1,5 metara).....	135,00 eura		
-Vertikalni ram 1 metra (sirina 1,5 metara).....	70,00 eura		
		2 metra	2,5 metra 3 metra
-Zastitna ograda komplet (4 komada).....	143,00e	165,00e	185,00e
-Dijagonale komplet (2 komada).....	80,00 e	95,00 e	120,00e
-Platforma sa otvorom	125,00e....	140,00e	160,00e
-Spojnik osnove serija 2000 komplet	85,00e	100,00e	115,00e
-Postolje serija 5000 komplet	120,00e.....	140,00e	
-Ceona l rubna daska komplet	140,00e	150,00e	160,00e
-Tockovi sa navojnom sipkom.....	fi 125mm.. 130,00e..	fi 150mm...210,00e ...	fi 200mm ...320,00e
-stabilizatori	80,00 e		
-Nosac balast tregova serija 2000 (4 kom.).....	60,00e		

-

-

SKELA ALUALTECO PRO 500



Radna visina: 3,00 m
Visina skele: 2,30 m
Visina stajanja: 1,00 m



Radna visina: 4,40 m
Visina skele: 3,40 m
Visina stajanja: 2,40 m



Radna visina: 5,40 m
Visina skele: 4,40 m
Visina stajanja: 3,40 m



Radna visina: 6,40 m
Visina skele: 5,40 m
Visina stajanja: 4,40 m




Radna visina: 7,40 m
Visina skele: 6,40 m
Visina stajanja: 5,40 m




Radna visina: 8,40 m
Visina skele: 7,40 m
Visina stajanja: 6,40 m




Radna visina: 9,40 m
Visina skele: 8,40 m
Visina stajanja: 7,40 m




Radna visina: 10,40 m
Visina skele: 9,40 m
Visina stajanja: 8,40 m




Radna visina: 11,40 m
Visina skele: 10,40 m
Visina stajanja: 9,40 m



Radna visina: 12,40 m
Visina skele: 11,40 m
Visina stajanja: 10,40 m



Radna visina: 13,40 m
Visina skele: 12,40 m
Visina stajanja: 11,40 m



Radna visina: 14,40 m
Visina skele: 13,40 m
Visina stajanja: 12,40 m

SKELA ALUALTECO PRO 5000



Radna visina: 3,00 m
Visina skele: 2,30 m
Visina stajanja: 1,00 m


Radna visina: 4,40 m
Visina skele: 3,40 m
Visina stajanja: 2,40 m

Radna visina: 5,40 m
Visina skele: 4,40 m
Visina stajanja: 3,40 m

Radna visina: 6,40 m
Visina skele: 5,40 m
Visina stajanja: 4,40 m

Radna visina: 7,40 m
Visina skele: 6,40 m
Visina stajanja: 5,40 m

Radna visina: 8,40 m
Visina skele: 7,40 m
Visina stajanja: 6,40 m



Radna visina: 9,40 m
Visina skele: 8,40 m
Visina stajanja: 7,40 m

Radna visina: 10,40 m
Visina skele: 9,40 m
Visina stajanja: 8,40 m


Radna visina: 11,40 m
Visina skele: 10,40 m
Visina stajanja: 9,40 m

Radna visina: 12,40 m
Visina skele: 11,40 m
Visina stajanja: 10,40 m

Radna visina: 13,40 m
Visina skele: 12,40 m
Visina stajanja: 11,40 m

Radna visina: 14,40 m
Visina skele: 13,40 m
Visina stajanja: 12,40 m

CENOVNIK SKELA ALUALTECO PRO 200



Radna visina: 4,30 m
Visina skele: 3,30 m
Visina stajanja: 2,30 m


Radna visina: 5,30 m
Visina skele: 4,30 m
Visina stajanja: 3,30 m

Radna visina: 6,30 m
Visina skele: 5,30 m
Visina stajanja: 4,30 m

Radna visina: 7,30 m
Visina skele: 6,30 m
Visina stajanja: 5,30 m

Radna visina: 8,30 m
Visina skele: 7,30 m
Visina stajanja: 6,30 m

Radna visina: 9,30 m
Visina skele: 8,30 m
Visina stajanja: 7,30 m



Radna visina: 10,30 m
Visina skele: 9,30 m
Visina stajanja: 8,30 m

Radna visina: 11,30 m
Visina skele: 10,30 m
Visina stajanja: 9,30 m

Radna visina: 12,30 m
Visina skele: 11,30 m
Visina stajanja: 10,30 m

Radna visina: 13,30 m
Visina skele: 12,30 m
Visina stajanja: 11,30 m

Radna visina: 14,30 m
Visina skele: 13,30 m
Visina stajanja: 12,30 m

CENOVNIK SKELA ALUALTECO PRO 2000



Radna visina: 4,30 m
Visina skele: 3,30 m
Visina stajanja: 2,30 m


Radna visina: 5,30 m
Visina skele: 4,30 m
Visina stajanja: 3,30 m

Radna visina: 6,30 m
Visina skele: 5,30 m
Visina stajanja: 4,30 m

Radna visina: 7,30 m
Visina skele: 6,30 m
Visina stajanja: 5,30 m

Radna visina: 8,30 m
Visina skele: 7,30 m
Visina stajanja: 6,30 m

Radna visina: 9,30 m
Visina skele: 8,30 m
Visina stajanja: 7,30 m



Radna visina: 10,30 m
Visina skele: 9,30 m
Visina stajanja: 8,30 m

Radna visina: 11,30 m
Visina skele: 10,30 m
Visina stajanja: 9,30 m

Radna visina: 12,30 m
Visina skele: 11,30 m
Visina stajanja: 10,30 m

Radna visina: 13,30 m
Visina skele: 12,30 m
Visina stajanja: 11,30 m

Radna visina: 14,30 m
Visina skele: 13,30 m
Visina stajanja: 12,30 m